

Ingredient	Amount
fumaric acid	0.5 g
sodium chloride	2.0 g
methyl paraben	0.15 g
propyl paraben	0.05 g
granulated sugar	25.5 g
sorbitol (70% solution)	12.85 g
Veegum K (Vanderbilt Co.)	1.0 g
Flavoring	0.035 mL
Colorings	0.5 mg
distilled water	q.s. to 100 mL

Injectable Formulation

The following ingredients are mixed to form an injectable formulation.

Ingredient	Amount
compound of this invention	1.2 g
sodium acetate buffer solution	0.4 M 2.0 mL
HCl (1 N) or NaOH (1 M)	q.s. to suitable pH
water (distilled, sterile)	q.s.to 20 mL

[00492] All of the above ingredients, except water, are combined and heated to 60-70.degree. C. with stirring. A sufficient quantity of water at 60.degree. C. is then added with vigorous stirring to emulsify the ingredients, and water then added q.s. to 100 g.

Suppository Formulation

[00493] A suppository of total weight 2.5 g is prepared by mixing the compound of the invention with Witepsol.RTM. H-15 (triglycerides of saturated vegetable fatty acid; Riches-Nelson, Inc., New York), and has the following composition:


Ingredient	Quantity per tablet, mg
compound of this invention	500
Witepsol® H-15	balance

[00494] The foregoing invention has been described in some detail by way of illustration and example, for purposes of clarity and understanding. The invention has been described with reference to various embodiments and techniques. However, it should be understood that many variations and modifications may be made while

remaining within the spirit and scope of the invention. It will be obvious to one of skill in the art that changes and modifications may be practiced within the scope of the appended claims. Therefore, it is to be understood that the above description is intended to be illustrative and not restrictive. All patents, patent applications and publications cited in this application are hereby incorporated by reference in their entirety for all purposes to the same extent as if each individual patent, patent application or publication were so individually denoted.

We claim:

1. A method of treating cancer which method comprises administering to a patient a therapeutically effective amount of a compound of Formula I:



I

or a pharmaceutically acceptable salt or solvate, thereof; or administering a pharmaceutical composition comprising a therapeutically effective amount of a compound of Formula I and a pharmaceutically acceptable carrier, excipient, or diluent in combination with one or more treatment(s) selected from surgery, one or more chemotherapeutic agent(s), one or more hormone therapy(s), one or more antibody(s), hypothermia therapy, radioactive iodine therapy, and radiation; wherein the Compound of Formula I is that where A, X, R¹, R², R³, R⁴, R⁵, R⁶, and R⁷ are as defined in Group A, Group B, Group C, or Group D:

Group A:

A is arylene optionally substituted with one, two, three or four groups selected from R¹⁰, R¹², R¹⁴, and R¹⁶ where R¹⁰, R¹², R¹⁴ and R¹⁶ are independently hydrogen, alkyl, alkenyl, alkynyl, halo, haloalkoxy, hydroxy, alkoxy, amino, alkylamino, dialkylamino, haloalkyl, -NHS(O)₂R⁸, -CN, -C(O)R⁸, -C(O)OR⁸, -C(O)NR⁸R^{8'} and -NR⁸C(O)R^{8'};

X is alkyl, halo, haloalkyl, or haloalkoxy;

R¹, R², R³, R⁴, R⁵ and R⁶ are independently hydrogen, halo, nitro, -NR⁸R^{8'}, -OR⁸, -NHS(O)₂R⁸, -CN, -S(O)_mR⁸, -S(O)₂NR⁸R^{8'}, -C(O)R⁸, -C(O)OR⁸, -C(O)NR⁸R^{8'}, -NR⁸C(O)OR^{8'}, -NR⁸C(O)NR^{8'}R^{8''}, -NR⁸C(O)OR^{8'}, -NR⁸C(O)R^{8'}, -CH₂N(R²⁵)(NR^{25a}R^{25b}), -CH₂NR²⁵C(=NH)(NR^{25a}R^{25b}), -CH₂NR²⁵C(=NH)(N(R^{25a})(NO₂)), -CH₂NR²⁵C(=NH)(N(R^{25a})(CN)), -CH₂NR²⁵C(=NH)(R²⁵), -CH₂NR²⁵C(NR^{25a}R^{25b})=CH(NO₂), alkyl, alkenyl, alkynyl, cycloalkyl, heteroaryl, or heterocycloalkyl, where the alkyl, alkenyl, alkynyl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently optionally substituted with one, two, three, four, five, six or seven groups

independently selected from halo, alkyl, haloalkyl, nitro, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl, $-OR^8$, $-NR^8R^8$, $-NR^8S(O)_2R^9$, $-CN$, $-S(O)_mR^9$, $-C(O)R^8$, $-C(O)OR^8$, $-C(O)NR^8R^8$, $-NR^8C(O)NR^8R^8$, $-NR^8C(O)OR^8$ and $-NR^8C(O)R^8$; or one of R^1 and R^2 together with the carbon to which they are attached, R^3 and R^4 together with the carbon to which they are attached, and R^5 and R^6 together with the carbon to which they are attached form $C(O)$ or $C(=NOH)$;

m is 0, 1, or 2;

R^7 is hydrogen, halo or alkyl;

R^8 , R^8 and R^8 are independently selected from hydrogen, hydroxy, optionally substituted alkoxy, alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl; where the alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently optionally substituted with one, two three, four, or five groups independently selected from alkyl, halo, hydroxy, hydroxyalkyl, optionally substituted alkoxy, alkoxyalkyl, haloalkyl, carboxy, alkoxycarbonyl, alkenyloxycarbonyl, optionally substituted cycloalkyl, optionally substituted cycloalkyloxycarbonyl, optionally substituted aryl, optionally substituted aryloxy, optionally substituted aryloxycarbonyl, optionally substituted arylalkyl, optionally substituted arylalkyloxy, optionally substituted arylalkyloxycarbonyl, nitro, cyano, optionally substituted heterocycloalkyl, optionally substituted heteroaryl, $-S(O)_nR^{31}$ (where n is 0, 1, or 2 and R^{31} is optionally substituted alkyl, optionally substituted aryl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl), $-NR^{34}SO_2R^{34a}$ (where R^{34} is hydrogen or alkyl and R^{34a} is alkyl, alkenyl, cycloalkyl, aryl, heteroaryl, or heterocycloalkyl), $-SO_2NR^{35}R^{35a}$ (where R^{35} is hydrogen or alkyl and R^{35a} is alkyl, alkenyl, cycloalkyl, aryl, heteroaryl, or heterocycloalkyl), $-NR^{32}C(O)R^{32a}$ (where R^{32} is hydrogen or alkyl and R^{32a} is alkyl, alkenyl, alkoxy, or cycloalkyl), $-NR^{30}R^{30'}$ (where R^{30} and $R^{30'}$ are independently hydrogen, alkyl, or hydroxyalkyl), and $-C(O)NR^{33}R^{33a}$ (where R^{33} is hydrogen or alkyl and R^{33a} is alkyl, alkenyl, alkynyl, or cycloalkyl);

R^9 is alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl; where the alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl

are independently optionally substituted with one, two, three, four, or five groups selected from halo, hydroxy, alkyl, haloalkyl, haloalkoxy, amino, alkylamino, and dialkylamino;

R^{25} and R^{25b} are independently hydrogen, alkyl, alkenyl, optionally substituted cycloalkyl, or optionally substituted aryl; and

R^{25a} is hydrogen, alkyl, or alkenyl;

Group B:

A is heteroarylene optionally substituted with one, two, three, or four groups selected from R^{10} , R^{12} , R^{14} , R^{16} and R^{19} where R^{10} , R^{12} , R^{14} and R^{16} are independently hydrogen, alkyl, alkenyl, alkynyl, halo, haloalkoxy, hydroxy, alkoxy, cyano, amino, alkylamino, dialkylamino, haloalkyl, alkylsulfonylamino, alkylcarbonyl, alkenylcarbonyl, alkoxycarbonyl, alkenyloxycarbonyl, aminocarbonyl, alkylaminocarbonyl, dialkylaminocarbonyl, or alkylcarbonylamino; where R^{19} is hydrogen, alkyl, or alkenyl; and where each alkyl and alkenyl, either alone or as part of another group within R^{10} , R^{12} , R^{14} , R^{16} , and R^{19} is independently optionally substituted with halo, hydroxy, or alkoxy;

X is alkyl, halo, haloalkyl, or haloalkoxy;

R^1 , R^2 , R^3 , R^4 , R^5 and R^6 are independently hydrogen, halo, nitro, $-NR^8R^8$, $-OR^8$, $-NHS(O)_2R^8$, $-CN$, $-S(O)_mR^8$, $-S(O)_2NR^8R^8$, $-C(O)R^8$, $-C(O)OR^8$, $-C(O)NR^8R^8$, $-NR^8C(O)OR^8$, $-NR^8C(O)NR^8R^8$, $-NR^8C(O)OR^8$, $-NR^8C(O)R^8$, $-CH_2N(R^{25})(NR^{25a}R^{25b})$, $-CH_2NR^{25}C(=NH)(NR^{25a}R^{25b})$, $-CH_2NR^{25}C(=NH)(N(R^{25a})(NO_2))$, $-CH_2NR^{25}C(=NH)(N(R^{25a})(CN))$, $-CH_2NR^{25}C(=NH)(R^{25})$, $-CH_2NR^{25}C(NR^{25a}R^{25b})=CH(NO_2)$, alkyl, alkenyl, alkynyl, cycloalkyl, heteroaryl, or heterocycloalkyl, where the alkyl, alkenyl, alkynyl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently optionally substituted with one, two, three, four, five, six or seven groups independently selected from halo, alkyl, haloalkyl, nitro, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl, $-OR^8$, $-NR^8R^8$, $-NR^8S(O)_2R^9$, $-CN$, $-S(O)_mR^9$, $-C(O)R^8$, $-C(O)OR^8$, $-C(O)NR^8R^8$, $-NR^8C(O)NR^8R^8$, $-NR^8C(O)OR^8$ and $-NR^8C(O)R^8$; or one of R^1 and R^2 together with the carbon to which they are attached, R^3 and R^4 together with

the carbon to which they are attached, and R^5 and R^6 together with the carbon to which they are attached form $C(O)$ or $C(=NOH)$;


m is 1 or 2;

R^7 is hydrogen, halo or alkyl; and

R^8 , $R^{8'}$ and $R^{8''}$ are independently selected from hydrogen, hydroxy, optionally substituted alkoxy, alkyl, haloalkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl, where the alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently optionally substituted with one, two three, four, or five groups independently selected from alkyl, halo, hydroxy, hydroxyalkyl, optionally substituted alkoxy, alkoxyalkyl, haloalkyl, carboxy, carboxy ester, nitro, cyano, $-S(O)_nR^{31}$ (where n is 0, 1, or 2 and R^{31} is optionally substituted alkyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl), $-NR^{36}S(O)_2R^{36a}$ (where R^{36} is hydrogen, alkyl, or alkenyl and R^{36a} is alkyl, alkenyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl), $-S(O)_2NR^{37}R^{37a}$ (where R^{37} is hydrogen, alkyl, or alkenyl and R^{37a} is alkyl, alkenyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl), optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted aryloxy, optionally substituted arylalkyloxy, optionally substituted heteroaryl, $-NHC(O)R^{32}$ (where R^{32} is alkyl, alkenyl, alkoxy, or cycloalkyl) and $-NR^{30}R^{30'}$ (where R^{30} and $R^{30'}$ are independently hydrogen, alkyl, or hydroxyalkyl), and $-C(O)NHR^{33}$ (where R^{33} is alkyl, alkenyl, alkynyl, or cycloalkyl);

Group C:

A is



where R^{10} is hydrogen, alkyl, alkenyl, alkynyl, halo, haloalkoxy, hydroxy, alkoxy, amino, alkylamino, dialkylamino, haloalkyl, $-NHS(O)_2R^8$, $-CN$, $-C(O)R^8$, $-C(O)OR^8$, $-C(O)NR^8R^{8'}$ and $-NR^8C(O)R^8$;

R^{10a} is hydrogen, alkyl, or alkenyl;

Y^1 is $=CH-$ or $=N-$;

X is alkyl, halo, haloalkyl, or haloalkoxy;

R^1 , R^2 , R^3 , R^4 , R^5 and R^6 are independently hydrogen, halo, nitro, $-NR^8R^{8'}$, $-OR^8$, $-NHS(O)_2R^8$, $-CN$, $-S(O)_mR^8$, $-S(O)_2NR^8R^{8'}$, $-C(O)R^8$, $-C(O)OR^8$, $-C(O)NR^8R^{8'}$, $-NR^8C(O)OR^8$, $-NR^8C(O)NR^8R^{8''}$, $-NR^8C(O)OR^8$, $-NR^8C(O)R^8$, $-CH_2N(R^{25})(NR^{25a}R^{25b})$, $-CH_2NR^{25}C(=NH)(NR^{25a}R^{25b})$, $-CH_2NR^{25}C(=NH)(N(R^{25a})(NO_2))$, $-CH_2NR^{25}C(=NH)(N(R^{25a})(CN))$, $-CH_2NR^{25}C(=NH)(R^{25})$, $-CH_2NR^{25}C(NR^{25a}R^{25b})=CH(NO_2)$, alkyl, alkenyl, alkynyl, cycloalkyl, heteroaryl, or heterocycloalkyl, where the alkyl, alkenyl, alkynyl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently optionally substituted with one, two, three, four, five, six or seven groups independently selected from halo, alkyl, haloalkyl, nitro, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl, $-OR^8$, $-NR^8R^{8'}$, $-NR^8S(O)_2R^9$, $-CN$, $-S(O)_mR^9$, $-C(O)R^8$, $-C(O)OR^8$, $-C(O)NR^8R^{8'}$, $-NR^8C(O)NR^8R^{8''}$, $-NR^8C(O)OR^8$ and $-NR^8C(O)R^8$; or one of R^1 and R^2 together with the carbon to which they are attached, R^3 and R^4 together with the carbon to which they are attached, and R^5 and R^6 together with the carbon to which they are attached form $C(O)$ or $C(=NOH)$;

m is 1 or 2;


R^7 is hydrogen, halo or alkyl; and

R^8 , $R^{8'}$ and $R^{8''}$ are independently selected from hydrogen, hydroxy, optionally substituted alkoxy, alkyl, haloalkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl, where the alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently optionally substituted with one, two three, four, or five groups independently selected from alkyl, halo, hydroxy, hydroxyalkyl, optionally substituted alkoxy, alkoxyalkyl, haloalkyl, carboxy, carboxy ester, nitro, cyano, $-S(O)_nR^{31}$ (where n is 0, 1, or 2 and R^{31} is optionally substituted alkyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl,


or optionally substituted heteroaryl), $-\text{NR}^{36}\text{S}(\text{O})_2\text{R}^{36a}$ (where R^{36} is hydrogen, alkyl, or alkenyl and R^{36a} is alkyl, alkenyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl), $-\text{S}(\text{O})_2\text{NR}^{37}\text{R}^{37a}$ (where R^{37} is hydrogen, alkyl, or alkenyl and R^{37a} is alkyl, alkenyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl), optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted aryloxy, optionally substituted arylalkyloxy, optionally substituted heteroaryl, $-\text{NHC}(\text{O})\text{R}^{32}$ (where R^{32} is alkyl, alkenyl, alkoxy, or cycloalkyl) and $-\text{NR}^{30}\text{R}^{30'}$ (where R^{30} and $\text{R}^{30'}$ are independently hydrogen, alkyl, or hydroxyalkyl), and $-\text{C}(\text{O})\text{NHR}^{33}$ (where R^{33} is alkyl, alkenyl, alkynyl, or cycloalkyl); or

Group D:

A is



(b) or



(c)

R^{40} and R^{40a} are independently hydrogen or alkyl;

X is alkyl, halo, haloalkyl, or haloalkoxy;

R^1 , R^2 , R^3 , R^4 , R^5 and R^6 are independently hydrogen, halo, nitro, $-\text{NR}^8\text{R}^{8'}$, $-\text{OR}^8$, $-\text{NHS}(\text{O})_2\text{R}^8$, $-\text{CN}$, $-\text{S}(\text{O})_m\text{R}^8$, $-\text{S}(\text{O})_2\text{NR}^8\text{R}^{8'}$, $-\text{C}(\text{O})\text{R}^8$, $-\text{C}(\text{O})\text{OR}^8$, $-\text{C}(\text{O})\text{NR}^8\text{R}^{8'}$, $-\text{NR}^8\text{C}(\text{O})\text{OR}^8$, $-\text{NR}^8\text{C}(\text{O})\text{NR}^8\text{R}^{8'}$, $-\text{NR}^8\text{C}(\text{O})\text{OR}^8$, $-\text{NR}^8\text{C}(\text{O})\text{R}^8$, $-\text{CH}_2\text{N}(\text{R}^{25})(\text{NR}^{25a}\text{R}^{25b})$, $-\text{CH}_2\text{NR}^{25}\text{C}(=\text{NH})(\text{NR}^{25a}\text{R}^{25b})$, $-\text{CH}_2\text{NR}^{25}\text{C}(=\text{NH})(\text{N}(\text{R}^{25a})(\text{NO}_2))$, $-\text{CH}_2\text{NR}^{25}\text{C}(=\text{NH})(\text{N}(\text{R}^{25a})(\text{CN}))$, $-\text{CH}_2\text{NR}^{25}\text{C}(=\text{NH})(\text{R}^{25})$, $-\text{CH}_2\text{NR}^{25}\text{C}(\text{NR}^{25a}\text{R}^{25b})=\text{CH}(\text{NO}_2)$, alkyl, alkenyl, alkynyl, cycloalkyl, heteroaryl, or heterocycloalkyl, where the alkyl, alkenyl, alkynyl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently

optionally substituted with one, two, three, four, five, six or seven groups independently selected from halo, alkyl, haloalkyl, nitro, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl, $-OR^8$, $-NR^8R^{8'}$, $-NR^8S(O)_2R^9$, $-CN$, $-S(O)_mR^9$, $-C(O)R^8$, $-C(O)OR^8$, $-C(O)NR^8R^{8'}$, $-NR^8C(O)NR^8R^{8''}$, $-NR^8C(O)OR^8$ and $-NR^8C(O)R^8$; or one of R^1 and R^2 together with the carbon to which they are attached, R^3 and R^4 together with the carbon to which they are attached, and R^5 and R^6 together with the carbon to which they are attached form $C(O)$ or $C(=NOH)$;

m is 1 or 2;

R^7 is hydrogen, halo or alkyl; and

R^8 , $R^{8'}$ and $R^{8''}$ are independently selected from hydrogen, hydroxy, optionally substituted alkoxy, alkyl, haloalkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl, where the alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently optionally substituted with one, two three, four, or five groups independently selected from alkyl, halo, hydroxy, hydroxyalkyl, optionally substituted alkoxy, alkoxyalkyl, haloalkyl, carboxy, carboxy ester, nitro, cyano, $-S(O)_nR^{31}$ (where n is 0, 1, or 2 and R^{31} is optionally substituted alkyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl), $-NR^{36}S(O)_2R^{36a}$ (where R^{36} is hydrogen, alkyl, or alkenyl and R^{36a} is alkyl, alkenyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl), $-S(O)_2NR^{37}R^{37a}$ (where R^{37} is hydrogen, alkyl, or alkenyl and R^{37a} is alkyl, alkenyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl), optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted aryloxy, optionally substituted arylalkyloxy, optionally substituted heteroaryl, $-NHC(O)R^{32}$ (where R^{32} is alkyl, alkenyl, alkoxy, or cycloalkyl) and $-NR^{30}R^{30'}$ (where R^{30} and $R^{30'}$ are independently hydrogen, alkyl, or hydroxyalkyl), and $-C(O)NHR^{33}$ (where R^{33} is alkyl, alkenyl, alkynyl, or cycloalkyl).

2. The method of claim 1 where the cancer is melanoma, colon cancer, rectal cancer, pancreatic cancer, breast cancer, non-small cell lung cancer, small cell lung cancer, papillary thyroid cancer, anaplastic thyroid cancer, endometrial cancer, or ovarian cancer.
3. The method according Claim 1 or 2 of treating cancer which method comprises administering to a patient a therapeutically effective amount of a compound of Formula I or a pharmaceutically acceptable salt or solvate, thereof; or administering a pharmaceutical composition comprising a therapeutically effective amount of a compound of Formula I and a pharmaceutically acceptable carrier, excipient, or diluent in combination with one or more chemotherapeutic agent(s).
4. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is selected from a taxane(s), a platin(s), a topoisomerase inhibitor(s), an alkylating agent(s), an antimetabolite(s), an antimicrotubule agent(s), and a bcr-abl inhibitor(s).
5. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is selected from rapamycin, carboplatin, cisplatin, oxaliplatin, gemcitabine, dacarbazine, topotecan, irinotecan, sorafenib, paclitaxel, and docetaxel.
6. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is an AKT inhibitor.
7. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is a cMET inhibitor.
8. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is selected from

<i>N</i> -(4-fluorophenyl)- <i>N'</i> -[3-fluoro-4-(7 <i>H</i> -pyrrolo[2,3- <i>d</i>]pyrimidin-4-yloxy)phenyl]propanediamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -[3-fluoro-4-(7 <i>H</i> -pyrrolo[2,3- <i>d</i>]pyrimidin-4-yloxy)phenyl]cyclopropane-1,1-dicarboxamide
<i>N</i> -([3-fluoro-4-(7 <i>H</i> -pyrrolo[2,3- <i>d</i>]pyrimidin-4-yloxy)phenyl]amino)carbonothioyl)-2-phenylacetamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -(4-{[1-(tetrahydro-2 <i>H</i> -pyran-2-yl)-1 <i>H</i> -pyrazolo[3,4- <i>d</i>]pyrimidin-4-yl]oxy}phenyl)cyclopropane-1,1-dicarboxamide
2-phenyl- <i>N</i> -{[(4-{[1-(tetrahydro-2 <i>H</i> -pyran-2-yl)-1 <i>H</i> -pyrazolo[3,4- <i>d</i>]pyrimidin-4-yl]oxy}phenyl)amino]carbonothioyl}acetamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -[4-(1 <i>H</i> -pyrazolo[3,4- <i>d</i>]pyrimidin-4-yloxy)phenyl]cyclopropane-1,1-dicarboxamide
2-phenyl- <i>N</i> -{[4-(1 <i>H</i> -pyrazolo[3,4- <i>d</i>]pyrimidin-4-yloxy)phenyl]amino}carbonothioyl)acetamide

<i>N</i> -(4-fluorophenyl)- <i>N'</i> -(4-{[9-(tetrahydro-2 <i>H</i> -pyran-2-yl)-9 <i>H</i> -purin-6-yl]oxy}phenyl)cyclopropane-1,1-dicarboxamide
2-phenyl- <i>N</i> -{[(4-{[9-(tetrahydro-2 <i>H</i> -pyran-2-yl)-9 <i>H</i> -purin-6-yl]oxy}phenyl)amino]carbonothioyl}acetamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -[4-(9 <i>H</i> -purin-6-yloxy)phenyl]cyclopropane-1,1-dicarboxamide
2-phenyl- <i>N</i> -{[(4-(9 <i>H</i> -purin-6-yloxy)phenyl)amino]carbonothioyl}acetamide
<i>N</i> -{3-fluoro-4-[(6-{[(2-morpholin-4-ylethyl)amino]carbonyl}-7 <i>H</i> -pyrrolo[2,3- <i>d</i>]pyrimidin-4-yl)oxy]phenyl}- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -{[(3-fluoro-4-[(6-(methyloxy)-7-{[(3 <i>aR</i> ,6 <i>aS</i>)-octahydrocyclopenta[<i>c</i>]pyrrol-5-yl)methyl]oxy}quinazolin-4-yl)oxy]phenyl)amino]carbonothioyl}-2-phenylacetamide
<i>N</i> -{[(3-fluoro-4-{[7-({[(3 <i>aR</i> ,6 <i>aS</i>)-2-methyloctahydrocyclopenta[<i>c</i>]pyrrol-5-yl)methyl]oxy}-6-(methyloxy)quinazolin-4-yl]oxy}phenyl)amino]carbonothioyl}-2-phenylacetamide
<i>N</i> -{[(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)(methyl)amino]carbonothioyl}-2-phenylacetamide
1-(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)imidazolidin-2-one
1-(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-3-(phenylmethyl)imidazolidin-2-one
1-(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-3-(phenylacetyl)imidazolidin-2-one
ethyl [(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)amino](oxo)acetate
<i>N</i> -{[(4-{[6,7-bis(methyloxy)quinazolin-4-yl]amino}-3-fluorophenyl)amino]carbonothioyl}-2-phenylacetamide
<i>N'</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -methyl- <i>N</i> -(2-phenylethyl)sulfamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-3-(phenylmethyl)-1,2,4-oxadiazol-5-amine
1-(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)piperidin-2-one
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(phenylmethyl)ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-4-phenyl-1,3-thiazol-2-amine
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(2-phenylethyl)ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-1-phenylmethanesulfonamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-2-phenylethanesulfonamide
4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluoro- <i>N</i> -(phenylmethyl)benzenesulfonamide
4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluoro- <i>N</i> -methyl- <i>N</i> -(phenylmethyl)benzenesulfonamide
4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluoro- <i>N</i> -(2-phenylethyl)benzenesulfonamide
4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluoro- <i>N</i> -methyl- <i>N</i> -(2-phenylethyl)benzenesulfonamide
4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluoro- <i>N</i> -(3-phenylpropyl)benzenesulfonamide

1-(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)pyrrolidin-2-one
4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl (phenylmethyl)carbamate
4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl (2-phenylethyl)carbamate
4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluoro- <i>N</i> -methyl- <i>N</i> -(3-phenylpropyl)benzenesulfonamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -phenylethanediamide
<i>N</i> -{[(3-fluoro-4-{[7-{[(2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}phenyl)amino]carbonothioyl}-2-phenylacetamide
<i>N</i> -{[(Z)-[(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)amino](imino)methyl]-2-phenylacetamide
4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluoro- <i>N</i> -[2-(phenyloxy)ethyl]benzenesulfonamide
<i>N,N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-bis-(3-phenylpropane-1-sulfonamide)
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-3-phenylpropane-1-sulfonamide
<i>N</i> ² -[(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)sulfonyl]- <i>N</i> ¹ -phenylglycinamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl)-2-phenylacetamide
<i>N</i> -{[(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl)amino]carbonothioyl}-2-phenylacetamide
6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-1,3-benzothiazol-2-amine
6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-1,3-benzothiazol-2-amine
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-1,3-benzothiazol-2-yl)-2-phenylacetamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(2-morpholin-4-ylethyl)ethanediamide
benzyl-[[4-(6,7-dimethoxy-quinolin-4-yloxy)-3-fluoro-phenylcarbamoyl]-methyl]-carbamic acid tert-butyl ester
<i>N</i> ¹ -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> ² -(phenylmethyl)glycinamide
<i>N</i> ² -acetyl- <i>N</i> ¹ -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> ² -(phenylmethyl)glycinamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-1,3-benzothiazol-2-yl)-2-phenylacetamide
benzyl-[[6-(6,7-dimethoxy-quinolin-4-yloxy)-pyridin-3-ylcarbamoyl]-methyl]-carbamic acid tert-butyl ester
<i>N</i> ¹ -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl)- <i>N</i> ² -(phenylmethyl)glycinamide
<i>N</i> ² -acetyl- <i>N</i> ¹ -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl)- <i>N</i> ² -(phenylmethyl)glycinamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl)-3-phenylpropanamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl)-4-phenylbutanamide
<i>N</i> ¹ -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl)- <i>N</i> ² -methyl- <i>N</i> ² -(phenylmethyl)glycinamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(2-[4-(methyloxy)phenyl]ethyl)ethanediamide

<i>N</i> ¹ -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> ² -methyl- <i>N</i> ² -(phenylmethyl)glycinamide
4-[(2-amino-1,3-benzothiazol-6-yl)oxy]-6,7-bis(methyloxy)-1-(2-oxo-2-phenylethyl)quinolinium
<i>N</i> -{[(4-{[6,7-bis(methyloxy)quinolin-4-yl]amino}phenyl)amino]carbonothioyl}-2-phenylacetamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-1,3-benzothiazol-2-yl)-3-phenylpropanamide
<i>N</i> -{[(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)amino]carbonothioyl}-2-phenylacetamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -(2,3-dihydro-1 <i>H</i> -inden-1-yl)ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -(2,3-dihydro-1 <i>H</i> -inden-2-yl)ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -(1,2,3,4-tetrahydronaphthalen-1-yl)ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -(2-phenylethyl)- <i>N</i> -(phenylmethyl)sulfamide
<i>N</i> ¹ -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> ² -(trifluoroacetyl)glycinamide
<i>N</i> -{[4-(6,7-dimethoxy-quinolin-4-yl)oxy]-3-fluoro-phenylcarbonyl}-methyl-benzamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl)- <i>N</i> -(4-fluorophenyl)propanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -[(2 <i>S</i>)-1,2,3,4-tetrahydronaphthalen-2-yl]ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -[2-(4-methylphenyl)ethyl]ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -(2-phenylpropyl)ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -[2-(4-chlorophenyl)ethyl]ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N,N</i> -bis(phenylmethyl)sulfamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N,N</i> -bis(2-phenylethyl)sulfamide
ethyl [(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)amino](oxo)acetate
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- <i>N</i> -(2-phenylethyl)ethanediamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- <i>N</i> -(4-fluorophenyl)propanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -(1,2,3,4-tetrahydronaphthalen-2-yl)ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -[2-(1-methylpyrrolidin-2-yl)ethyl]ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -[2-(phenyloxy)ethyl]ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -[2-hydroxy-1-

(phenylmethyl)ethyl]urea
1-(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-3-[(4-methylphenyl)sulfonyl]-4-(phenylmethyl)imidazolidin-2-one
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -methyl- <i>N</i> -(2-phenylethyl)ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> '-{3-(trifluoromethyl)phenyl]methyl}ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> '-{2-[3-(trifluoromethyl)phenyl]ethyl}ethanediamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)-3-oxo-4-phenylbutanamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)-2-[3-(trifluoromethyl)phenyl]acetamide
6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro- <i>N</i> -[2-(phenyloxy)ethyl]-1,3-benzothiazol-2-amine
6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro- <i>N</i> -(2-piperidin-1-ylethyl)-1,3-benzothiazol-2-amine
6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro- <i>N</i> -methyl- <i>N</i> -(2-phenylethyl)-1,3-benzothiazol-2-amine
6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro- <i>N</i> -(2-pyrrolidin-1-ylethyl)-1,3-benzothiazol-2-amine
6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro- <i>N</i> '-{3-(trifluoromethyl)phenyl]methyl}-1,3-benzothiazol-2-amine
6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro- <i>N</i> '-{2-[3-(trifluoromethyl)phenyl]ethyl}-1,3-benzothiazol-2-amine
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- <i>N</i> '-[3-(trifluoromethyl)phenyl]propanediamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-1,3-benzothiazol-2-yl)-2-[3-(trifluoromethyl)phenyl]acetamide
<i>N</i> ¹ -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> ² '-{3-(trifluoromethyl)phenyl]methyl}glycinamide
<i>N</i> ¹ -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> ² -(2-phenylethyl)glycinamide
<i>N</i> ¹ -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> ² '-{2-[3-(trifluoromethyl)phenyl]ethyl}glycinamide
benzyl-[[5-chloro-6-(6,7-dimethoxyquinolin-4-yloxy)-pyridin-3-yl]carbonyl]-methyl}-carbamic acid tert-butyl ester
<i>N</i> ¹ -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- <i>N</i> ² -(phenylmethyl)glycinamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-1,3-benzothiazol-2-yl)-2-[3,5-bis(trifluoromethyl)phenyl]acetamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-1,3-benzothiazol-2-yl)-2-[2-chloro-5-(trifluoromethyl)phenyl]acetamide
<i>N</i> -(3-fluoro-4-[(6-(methyloxy)-7-[[[(1-methylpiperidin-4-yl)methyl]oxy]quinolin-4-yl]oxy]phenyl)- <i>N</i> '-(2-phenylethyl)ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> '-(1,2,3,4-tetrahydroisoquinolin-1-ylmethyl)ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> '-[(2-methyl-1,2,3,4-tetrahydroisoquinolin-1-yl)methyl]ethanediamide

N^1 -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- N^2 -methyl- N^2 -{[3-(trifluoromethyl)phenyl]methyl}glycinamide
N^1 -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- N^2 -methyl- N^2 -{2-[3-(trifluoromethyl)phenyl]ethyl}glycinamide
N^1 -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- N^2 -methyl- N^2 -(2-phenylethyl)glycinamide
1-(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-4-(phenylmethyl)imidazolidin-2-one
N -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridazin-3-yl)- N^1 -(4-fluorophenyl)propanediamide
N -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- N^1 -(2-chlorophenyl)propanediamide
N -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- N^1 -(3-chlorophenyl)propanediamide
N^1 -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- N^2 -methyl- N^2 -(phenylmethyl)glycinamide
N -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- N^1 -(4-chlorophenyl)propanediamide
(2 <i>E</i>)- N -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)-2-[(methyloxy)imino]propanamide
(2 <i>E</i>)- N -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)-2-[(ethyloxy)imino]propanamide
(2 <i>E</i>)- N -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)-2-[[phenylmethyl]oxy]imino]propanamide
N -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)-1-(phenylmethyl)prolinamide
1-(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)-3-[(4-methylphenyl)sulfonyl]-4-(phenylmethyl)imidazolidin-2-one
1-(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)-4-(phenylmethyl)imidazolidin-2-one
N -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)-4-(phenylmethyl)-4,5-dihydro-1,3-oxazol-2-amine
6,7-bis(methyloxy)-4-({4-[4-(phenylmethyl)piperazin-1-yl]phenyl}oxy)quinoline
1-(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)-4-(phenylmethyl)piperazin-2-one
N^1 -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- N^2 -(phenylmethyl)alaninamide
N^1 -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- N^2 -methyl- N^2 -(phenylmethyl)alaninamide
N^1 -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- N^2 -(phenylmethyl)leucinamide
N^1 -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- N^2 -methyl- N^2 -(phenylmethyl)leucinamide
N^1 -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- N^2 -(phenylmethyl)valinamide
4-(6,7-dimethoxy-quinolin-4-ylamino)- N -(3-phenyl-propyl)-benzamide
4-benzyl-1-[4-(6,7-dimethoxy-quinolin-4-yloxy)-phenyl]-tetrahydro-pyrimidin-2-one
N -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- N^1 -phenethyl-oxalamide
2-(Benzyl-methyl-amino)- N -[4-(6,7-dimethoxy-quinolin-4-yloxy)-phenyl]-3-methyl-

butyramide
<i>N</i> -[4-(6,7-Dimethoxy-quinolin-4-yloxy)-phenyl]-2-phenoxyimino-propionamide
2-Benzoyloxyimino- <i>N</i> -[4-(6,7-dimethoxy-quinolin-4-yloxy)-phenyl]-2-phenyl-acetamide
4-[4-(4-Benzyl-piperidin-1-yl)-phenoxy]-6,7-dimethoxy-quinoline
<i>N</i> -[4-(6,7-Dimethoxy-quinolin-4-yloxy)-3-fluoro-phenyl]- <i>N'</i> -(2-isopropyl-1,2,3,4-tetrahydro-isoquinolin-1-ylmethyl)-oxalamide
<i>N</i> -[4-(6,7-Dimethoxy-quinolin-4-yloxy)-3-fluoro-phenyl]- <i>N'</i> -(2-ethyl-1,2,3,4-tetrahydro-isoquinolin-1-ylmethyl)-oxalamide
4-(4-{3-Chloro-5-[2-(4-fluoro-phenylcarbamoyl)-acetylamino]-pyridin-2-yloxy}-6-methoxy-quinolin-7-yloxymethyl)-piperidine-1-carboxylic acid tert-butyl ester
<i>N</i> -{5-Chloro-6-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-pyridin-3-yl}- <i>N'</i> -(4-fluoro-phenyl)-malonamide
<i>N</i> -{5-Chloro-6-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-pyridin-3-yl}- <i>N'</i> -(4-fluoro-phenyl)-malonamide
<i>N</i> -{4-[7-(3-Diethylamino-propoxy)-6-methoxy-quinolin-4-yloxy]-3-fluoro-phenyl}- <i>N'</i> -phenethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(3-morpholin-4-yl-propoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -phenethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(3-piperidin-1-yl-propoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -phenethyl-oxalamide
<i>N</i> -{4-[7-(2-Diethylamino-ethoxy)-6-methoxy-quinolin-4-yloxy]-3-fluoro-phenyl}- <i>N'</i> -phenethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -methyl- <i>N'</i> -phenethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(2-methyl-octahydro-cyclopenta[c]pyrrol-5-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -phenethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(2-methyl-octahydro-cyclopenta[c]pyrrol-5-ylmethoxy)-quinazolin-4-yloxy]-phenyl}- <i>N'</i> -phenethyl-oxalamide
2-(3,4-Dihydro-1 <i>H</i> -isoquinolin-2-yl)- <i>N</i> -{3-fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-2-oxo-acetamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-2-oxo-2-(3-phenyl-pyrrolidin-1-yl)-acetamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-2-oxo-2-(2-phenyl-morpholin-4-yl)-acetamide
<i>N</i> -(2-Dimethylamino-2-phenyl-ethyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2-oxo-2-phenyl-ethyl)-oxalamide
<i>N</i> -[5-Chloro-6-(6,7-dimethoxy-quinolin-4-yloxy)-pyridin-3-yl]-2,2-difluoro- <i>N'</i> -(4-fluoro-phenyl)-malonamide
<i>N</i> -Benzyl- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -[2-(2-fluoro-phenyl)-ethyl]-oxalamide
<i>N</i> -[2-(3-Chloro-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -[2-(2-methoxy-phenyl)-ethyl]-oxalamide

<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2-pyridin-3-yl-ethyl)-oxalamide
<i>N</i> -Benzyl- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(2,5-Dimethoxy-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -[2-(2-trifluoromethyl-phenyl)-ethyl]-oxalamide
<i>N</i> -[2-(2-Ethoxy-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(2,4-Dimethyl-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(1 <i>S</i> -phenyl-2- <i>p</i> -tolyl-ethyl)-oxalamide
<i>N</i> -[2-(4-Chloro-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamic acid
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -[2-(3-fluoro-phenyl)-ethyl]-oxalamide
<i>N</i> -[2-(2-Chloro-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -[2-(3-methoxy-phenyl)-ethyl]-oxalamide
<i>N</i> -(1,2-Diphenyl-ethyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(2,4-Dichloro-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(3,4-Dimethoxy-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(4-Ethyl-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(4-Ethoxy-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(4-Ethoxy-3-methoxy-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -[2-(4-phenoxy-phenyl)-ethyl]-oxalamide
<i>N</i> -[2-(3-Ethoxy-4-methoxy-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2-pyridin-2-yl-ethyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2-pyridin-4-yl-ethyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -[2-(4-fluoro-phenyl)-ethyl]-oxalamide
<i>N</i> -[2-(2-Bromo-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(2-Chloro-6-fluoro-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-

ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2 <i>R</i> -phenyl-propyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -indan-1-yl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -isobutyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(3-methyl-butyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2 <i>R</i> -phenyl-propyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2-phenyl-propyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -indan-2-yl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(1 <i>R</i> -phenyl-ethyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(1 <i>S</i> -phenyl-ethyl)-oxalamide
<i>N</i> -[2-(3-Bromo-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(2,6-Dichloro-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(2,4-Dichloro-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -(2-Benzo[1,3]dioxol-5-yl-ethyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(3-Bromo-4-methoxy-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(3,5-Dimethoxy-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2- <i>o</i> -tolyl-ethyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2- <i>m</i> -tolyl-ethyl)-oxalamide
<i>N</i> -[2-(3-Ethoxy-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(3,4-Dimethyl-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(2,5-Dimethyl-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(3-Chloro-4-propoxy-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(4-Butoxy-3-chloro-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(4- <i>tert</i> -Butyl-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -[2-(4-sulfamoyl-phenyl)-ethyl]-oxalamide

<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -[2-(4-hydroxy-3-methoxy-phenyl)-ethyl]-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -[2-(3-hydroxy-4-methoxy-phenyl)-ethyl]-oxalamide
<i>N</i> -(2,4-Dichloro-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(4-fluoro-2-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(1- <i>p</i> -tolyl-ethyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(3-fluoro-4-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -(3-Chloro-4-fluoro-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -[1-(3-methoxy-phenyl)-ethyl]-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(1-naphthalen-2-yl-ethyl)-oxalamide
<i>N</i> -(4-Chloro-3-trifluoromethyl-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(1- <i>p</i> -tolyl-ethyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(6-trifluoromethyl-pyridin-3-ylmethyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2-methyl-benzyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(3-methyl-benzyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(4-fluoro-3-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -(3,5-Dichloro-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(1 <i>R</i> ,2,3,4-tetrahydro-naphthalen-1-yl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(1 <i>S</i> ,2,3,4-tetrahydro-naphthalen-1-yl)-oxalamide
<i>N</i> -Cyclopentyl- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[1-(4-Bromo-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -(2-Fluoro-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(3,4-Dichloro-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -(4-Fluoro-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -(2,3-Difluoro-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -

(2-phenoxy-ethyl)-oxalamide
<i>N</i> -(2,2-Diphenyl-ethyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -[2-(4-methoxy-phenyl)-ethyl]-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2-phenyl-propyl)-oxalamide
<i>N</i> -[2-(4-Bromo-phenyl)-ethyl]- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{4-[7-(1-Ethyl-piperidin-4-ylmethoxy)-6-methoxy-quinolin-4-yloxy]-3-fluoro-phenyl}-2-oxo-2-(2-phenyl-morpholin-4-yl)-acetamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(3-fluoro-5-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -(3,5-Difluoro-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -(2-Chloro-5-trifluoromethyl-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[4-(6,7-Dimethoxy-quinolin-4-yloxy)-3-fluoro-phenyl]- <i>N'</i> -(2-dimethylamino-2-phenyl-ethyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(4-methoxy-benzyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(4-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(3-methoxy-benzyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(3-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(3-trifluoromethoxy-benzyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2-methoxy-benzyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -(3-Chloro-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2-trifluoromethoxy-benzyl)-oxalamide
<i>N</i> -(2-Chloro-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(4-trifluoromethoxy-benzyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(4-methoxy-benzyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(4-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -{4-[7-(Azetidin-3-ylmethoxy)-6-methoxy-quinolin-4-yloxy]-3-fluoro-phenyl}- <i>N'</i> -phenethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(1-methyl-azetidin-3-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -phenethyl-oxalamide

<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2-hydroxy-2-phenyl-ethyl)-oxalamide
<i>N</i> -[5-Chloro-6-(6,7-dimethoxy-quinolin-4-yloxy)-pyridin-3-yl]- <i>N'</i> -(2,4-difluoro-phenyl)-malonamide
<i>N</i> -[5-Chloro-6-(6,7-dimethoxy-quinolin-4-yloxy)-pyridin-3-yl]- <i>N'</i> -(4-fluoro-phenyl)- <i>N'</i> -methyl-malonamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(1 <i>R</i> -phenyl-propyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(1 <i>R</i> -phenyl-propyl)-oxalamide
<i>N</i> -(3,4-Difluoro-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -(2,6-Difluoro-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -[2-(4-fluoro-phenyl)-ethyl]-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -phenyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(3-fluoro-phenyl)-oxalamide
<i>N</i> -(4-Chloro-3-fluoro-phenyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -(3,4-Dimethoxy-phenyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(3-methyl-butyl)-oxalamide
<i>N</i> -(3,3-Dimethyl-butyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{5-Chloro-6-[6-methoxy-7-(3-piperidin-1-yl-propoxy)-quinolin-4-yloxy]-pyridin-3-yl}- <i>N'</i> -(4-fluoro-phenyl)-malonamide
<i>N</i> -{5-Chloro-6-[6-methoxy-7-(3-morpholin-4-yl-propoxy)-quinolin-4-yloxy]-pyridin-3-yl}- <i>N'</i> -(4-fluoro-phenyl)-malonamide
<i>N</i> -{5-Chloro-6-[7-(3-diethylamino-propoxy)-6-methoxy-quinolin-4-yloxy]-pyridin-3-yl}- <i>N'</i> -(4-fluoro-phenyl)-malonamide
<i>N</i> -(4-Chloro-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -(3,5-Dimethoxy-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -(4-Butyl-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2- <i>p</i> -tolyl-ethyl)-oxalamide
<i>N</i> -(3,5-Bis-trifluoromethyl-benzyl)- <i>N'</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -pyrazin-2-ylmethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -pyridin-2-ylmethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinazolin-4-yloxy]-phenyl}-

<i>N</i> -phenethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinazolin-4-yloxy]-phenyl}- <i>N</i> -phenethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N</i> -(2-fluoro-3-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -[2-(2-Bromo-6-methoxy-phenyl)-ethyl]- <i>N</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -[2-(3,4-Dimethoxy-phenyl)-ethyl]- <i>N</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N</i> -methyl-oxalamide
<i>N</i> -[2-(5-Bromo-2-methoxy-phenyl)-ethyl]- <i>N</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N</i> -(2-fluoro-5-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N</i> -[1-(4-fluoro-phenyl)-ethyl]-oxalamide
<i>N</i> -(1 <i>S</i> -Benzyl-2-oxo-2-pyrrolidin-1-yl-ethyl)- <i>N</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(octahydro-cyclopenta[<i>c</i>]pyrrol-5-ylmethoxy)-quinazolin-4-yloxy]-phenyl}- <i>N</i> -phenethyl-oxalamide
<i>N</i> -[2-(4-Amino-phenyl)-ethyl]- <i>N</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
2-(4-Benzyl-piperidin-1-yl)- <i>N</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-2-oxo-acetamide
<i>N</i> -[4-(6,7-Dimethoxy-quinolin-4-yloxy)-phenyl]- <i>N</i> -(4-fluoro-phenyl)-malonamide
<i>N</i> -[5-Chloro-6-(6,7-dimethoxy-quinolin-4-yloxy)-pyridin-3-yl]- <i>N</i> -(3-fluoro-phenyl)-malonamide
<i>N</i> -[5-Chloro-6-(6,7-dimethoxy-quinolin-4-yloxy)-pyridin-3-yl]- <i>N</i> -phenyl-malonamide
<i>N</i> -[5-Chloro-6-(6,7-dimethoxy-quinolin-4-yloxy)-pyridin-3-yl]- <i>N</i> -(4-fluoro-phenyl)-2,2-dimethyl-malonamide
<i>N</i> -Ethyl- <i>N</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N</i> -isopropyl-oxalamide
<i>N</i> -Butyl- <i>N</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N</i> -(2-methoxy-ethyl)-oxalamide
<i>N</i> -Cyclopropylmethyl- <i>N</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N</i> -(2-morpholin-4-yl-ethyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-2-oxo-2-pyrrolidin-1-yl-acetamide
<i>N</i> -Ethyl- <i>N</i> -{3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N</i> -methyl-oxalamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- <i>N</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- <i>N</i> -(4-

fluorophenyl)cyclobutane-1,1-dicarboxamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- <i>N'</i> -(phenylmethyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- <i>N'</i> -phenylcyclopropane-1,1-dicarboxamide
<i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-piperidin-1-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-piperidin-1-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- <i>N'</i> -(2-phenylethyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-2-methylpyridin-3-yl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[(7-chloroquinolin-4-yl)oxy]-3-fluorophenyl})- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[(7-chloroquinolin-4-yl)oxy]phenyl})- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinazolin-4-yl]oxy}phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinazolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinazolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(5-chloro-6-[(6-(methyloxy)-7-[(1-methylpiperidin-4-yl)methyl]oxy}quinolin-4-yl)oxy)pyridin-3-yl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(5-chloro-6-({6-(methyloxy)-7-[(piperidin-4-ylmethyl)oxy]quinolin-4-yl}oxy)pyridin-3-yl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(5-chloro-6-({6-(methyloxy)-7-[(phenylmethyl)oxy]quinolin-4-yl}oxy)pyridin-3-yl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[7-([2-(diethylamino)ethyl]oxy)-6-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[7-([2-(diethylamino)ethyl]oxy)-6-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-[(6-(methyloxy)-7-[(1-methylpiperidin-4-yl)methyl]oxy}quinazolin-4-yl)oxy]phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-2-methylphenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -[2-methyl-6-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinolin-4-yl}oxy)pyridin-3-yl]cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloro-2-methylpyridin-3-yl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -[3-fluoro-4-({7-(methyloxy)-6-[(3-morpholin-4-ylpropyl)oxy]quinazolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide

<i>N</i> -(4-{{6,7-bis(methyloxy)quinolin-4-yl}oxy}-3,5-difluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{{6,7-bis(methyloxy)quinolin-4-yl}oxy}-2,5-difluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -[3-fluoro-4-({7-(methyloxy)-6-[(3-morpholin-4-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -{3-fluoro-4-[(6-(methyloxy)-7-(2-methyl octahydrocyclopenta[c]pyrrol-5-ylmethoxy)quinazolin-4-yl)oxy]phenyl}- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -{3-fluoro-4-[(7-(methyloxy)-6-[(1-methylpiperidin-4-yl)methyl]oxy}quinazolin-4-yl)oxy]phenyl}- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -[5-fluoro-2-methyl-4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{{6,7-bis(methyloxy)quinolin-4-yl}oxy}-2,3,5-trifluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{{6,7-bis(methyloxy)quinolin-4-yl}oxy}-5-fluoro-2-methylphenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{{6,7-bis(methyloxy)quinolin-4-yl}oxy}-2-chloro-5-methylphenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-{{6-hydroxy-7-(methyloxy)quinolin-4-yl}oxy}phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -[2-methyl-4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]cyclopropane-1,1-dicarboxamide
<i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-piperazin-1-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -{3-fluoro-4-[(6-(methyloxy)-7-{{3-(4-methylpiperazin-1-yl)propyl}oxy}quinolin-4-yl)oxy]phenyl}- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -{3-fluoro-4-[(6-(methyloxy)-7-{{(1-methylpiperidin-4-yl)methyl}oxy}quinolin-4-yl)oxy]phenyl}- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -[4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{{7-{{3-(diethylamino)propyl}oxy}-6-(methyloxy)quinolin-4-yl}oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{{6,7-bis(methyloxy)quinolin-4-yl}oxy}-2-chloro-5-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{{6,7-bis(methyloxy)-2-(methylthio)quinolin-4-yl}oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -(4-{{2-methyl-6,7-bis(methyloxy)quinazolin-4-yl}oxy}phenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{{2-amino-6,7-bis(methyloxy)quinolin-4-yl}oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-{{2-(methylamino)-6,7-bis(methyloxy)quinolin-4-yl}oxy}phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
(1 <i>S</i> ,2 <i>R</i>)- <i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i>)- <i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{{6-{{3-(diethylamino)propyl}oxy}-7-(methyloxy)quinolin-4-yl}oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide

<i>N</i> -(4-{[6-{[2-(diethylamino)ethyl]oxy}-7-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
1,1-dimethylethyl 4-(3-{[4-{(2-fluoro-4-{[(1-{[(4-fluorophenyl)amino]carbonyl}cyclopropyl)carbonyl]amino}phenyl)oxy]-6-(methyloxy)quinolin-7-yl]oxy}propyl)piperazine-1-carboxylate
(1 <i>R</i> ,2 <i>R</i>)- <i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinazolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i>)- <i>N</i> -(4-{[7-{[2-(diethylamino)ethyl]oxy}-6-(methyloxy)quinazolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[7-{[3-(diethylamino)propyl]oxy}-6-(methyloxy)quinazolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[7-{[3-(4-acetylpiperazin-1-yl)propyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
1,1-dimethylethyl 4-(3-{[4-{(2-fluoro-4-{[(1 <i>R</i> ,2 <i>R</i>)-1-{[(4-fluorophenyl)amino]carbonyl}-2-methylcyclopropyl)carbonyl]amino}phenyl)oxy]-6-(methyloxy)quinolin-7-yl]oxy}propyl)piperazine-1-carboxylate
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- <i>N'</i> -(4-fluorophenyl)-1-(phenylmethyl)azetidine-3,3-dicarboxamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- <i>N'</i> -(4-fluorophenyl)azetidine-3,3-dicarboxamide
(1 <i>R</i> ,2 <i>S</i>)- <i>N</i> -{3-fluoro-4-[(6-(methyloxy)-7-{[3-(4-methylpiperazin-1-yl)propyl]oxy}quinolin-4-yl)oxy]phenyl}- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i>)- <i>N</i> -{3-fluoro-4-[(6-(methyloxy)-7-{[3-(4-methylpiperazin-1-yl)propyl]oxy}quinolin-4-yl)oxy]phenyl}- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i>)- <i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-piperazin-1-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-{[7-{[3-[4-(1-methylethyl)piperazin-1-yl]propyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[7-{[3-(diethylamino)propyl]oxy}-6-(methyloxy)quinazolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i>)- <i>N</i> -(4-{[7-{[3-(diethylamino)propyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i>)- <i>N</i> -(4-{[7-{[2-(diethylamino)ethyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>S</i>)- <i>N</i> -(4-{[7-{[3-(diethylamino)propyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>S</i>)- <i>N</i> -(4-{[7-{[2-(diethylamino)ethyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[7-{[2-(diethylamino)ethyl]oxy}-6-(methyloxy)quinazolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>S</i>)- <i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-piperazin-1-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> ,3 <i>S</i>)- <i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> ,3 <i>S</i>)- <i>N</i> -{3-fluoro-4-[(6-(methyloxy)-7-{[3-(4-methylpiperazin-1-yl)propyl]oxy}quinolin-4-yl)oxy]phenyl}- <i>N'</i> -(4-fluorophenyl)-2,3-

dimethylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> ,3 <i>S</i>)- <i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinazolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> ,3 <i>S</i>)- <i>N</i> -{3-fluoro-4-[(6-(methyloxy)-7-{[3-(4-methylpiperazin-1-yl)propyl]oxy}quinazolin-4-yl)oxy]phenyl}- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
<i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinazolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
(2 <i>R</i> ,3 <i>R</i>)- <i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
(2 <i>R</i> ,3 <i>R</i>)- <i>N</i> -(4-{[7-{[3-(diethylamino)propyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[7-{[3-(diethylamino)propyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2,2-dimethylcyclopropane-1,1-dicarboxamide
<i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinazolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)-2,2-dimethylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> ,3 <i>S</i>)- <i>N</i> -(4-{[7-{[3-(diethylamino)propyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[7-{[2-(diethylamino)ethyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2,2-dimethylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> ,3 <i>S</i>)- <i>N</i> -(4-{[7-{[2-(diethylamino)ethyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
<i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)-2,2-dimethylcyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[7-{[2-(diethylamino)ethyl]oxy}-6-(methyloxy)quinazolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2,2-dimethylcyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[7-{[3-(diethylamino)propyl]oxy}-6-(methyloxy)quinazolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2,2-dimethylcyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[7-{[3-(diethylamino)propyl]oxy}-6-(methyloxy)quinazolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
<i>N</i> -{3-fluoro-4-[(6-(methyloxy)-7-{[3-(4-methylpiperazin-1-yl)propyl]oxy}quinazolin-4-yl)oxy]phenyl}- <i>N'</i> -(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
<i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-piperazin-1-ylpropyl)oxy]quinazolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
(2 <i>R</i> ,3 <i>R</i>)- <i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinazolin-4-yl}oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[7-{[3-(diethylamino)propyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
<i>N</i> -{3-fluoro-4-[(6-(methyloxy)-7-{[3-(4-methylpiperazin-1-yl)propyl]oxy}quinolin-4-yl)oxy]phenyl}- <i>N'</i> -(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i>)- <i>N</i> -(4-{[7-{[3-(diethylamino)propyl]oxy}-6-(methyloxy)quinazolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i>)- <i>N</i> -{3-fluoro-4-[(6-(methyloxy)-7-{[3-(4-methylpiperazin-1-yl)propyl]oxy}quinazolin-4-yl)oxy]phenyl}- <i>N'</i> -(4-fluorophenyl)-2-

methylcyclopropane-1,1-dicarboxamide
(2 <i>R</i> ,3 <i>R</i>)- <i>N</i> -(4-{[7-{[2-(diethylamino)ethyl]oxy}-6-(methyloxy)quinazolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
(2 <i>R</i> ,3 <i>R</i>)- <i>N</i> -(4-{[7-{[3-(diethylamino)propyl]oxy}-6-(methyloxy)quinazolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i>)- <i>N</i> -[3-fluoro-4-({6-(methyloxy)-7-[(3-piperazin-1-ylpropyl)oxy]quinazolin-4-yl]oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(2 <i>R</i> ,3 <i>R</i>)- <i>N</i> -(4-{[7-{[2-(diethylamino)ethyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- <i>N'</i> -[(4-fluorophenyl)methyl]cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- <i>N'</i> -(2-morpholin-4-ylethyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- <i>N'</i> -[2-(piperidin-1-ylmethyl)phenyl]cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- <i>N'</i> -[2-(pyrrolidin-1-ylmethyl)phenyl]cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- <i>N'</i> -[3-(morpholin-4-ylmethyl)phenyl]cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- <i>N'</i> -[2-(morpholin-4-ylmethyl)phenyl]cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- <i>N'</i> -phenylcyclopropane-1,1-dicarboxamide
<i>N</i> -[3-(aminomethyl)phenyl]- <i>N'</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- <i>N'</i> -[3-(piperidin-1-ylmethyl)phenyl]cyclopropane-1,1-dicarboxamide and
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl)- <i>N'</i> -[3-(pyrrolidin-1-ylmethyl)phenyl]cyclopropane-1,1-dicarboxamide and
a single geometric isomer, stereoisomer, racemate, enantiomer, or diastereomer, thereof and optionally as a pharmaceutically acceptable salt, solvate, or hydrate thereof.

9. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is an EGFR inhibitor.

10. The method of Claim 3 where one of the chemotherapeutic agent(s) is selected from Lapatinib (Tykerb®), gefitinib (Iressa®), erlotinib (Tarceva®), Zactima (ZD6474), AEE788, HKI-272, EKB-569, and CI1033.

11. The method of Claim 3 where one of the chemotherapeutic agent(s) is selected from

<i>N</i> -(3,4-dichloro-2-fluorophenyl)-7-({[(3 <i>aR</i> ,5 <i>r</i> ,6 <i>aS</i>)-2-(1-methylethyl)octahydrocyclopenta[<i>c</i>]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(4-bromo-3-chloro-2-fluorophenyl)-7-({[(3 <i>aR</i> ,5 <i>r</i> ,6 <i>aS</i>)-2-(1-

methylethyl)octahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine
7-({[(3aR,5r,6aS)-2-acetyloctahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy)-N-(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)-7-({[(3aR,5r,6aS)-octahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy}quinazolin-4-amine
ethyl (3aR,6aS)-5-({[4-[(4-bromo-3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)hexahydrocyclopenta[c]pyrrole-2(1H)-carboxylate
N-(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)-7-({[(3aR,5r,6aS)-2-(methylsulfonyl)octahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-({[(3aR,5r,6aS)-2-ethyloctahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-6-(methyloxy)-7-({[(3aR,5r,6aS)-2-(2-methylpropyl)octahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-({[(3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-7-({[(3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(3-chloro-2,4-difluorophenyl)-7-({[(3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4,5-dichloro-2-fluorophenyl)-7-({[(3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-5-chloro-2-fluorophenyl)-7-({[(3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-2,3-dichlorophenyl)-7-({[(3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-({[(3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-7-({[(3aR,5r,6aS)-2-ethyloctahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)-7-({[(3aR,5r,6aS)-2-(2-methylpropyl)octahydrocyclopenta[c]pyrrol-5-yl)methyl}oxy)quinazolin-4-amine
N-(4-bromo-2,3-dichlorophenyl)-7-({[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4,5-dichloro-2-fluorophenyl)-7-({[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-5-chloro-2-fluorophenyl)-7-({[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(3-chloro-2,4-difluorophenyl)-7-({[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-

c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(3,4-dichloro-2-fluorophenyl)-7-{[(3 <i>S</i> ,9 <i>aS</i>)-hexahydro-1 <i>H</i> -[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(4-bromo-3-chloro-2-fluorophenyl)-7-{[(3 <i>S</i> ,9 <i>aS</i>)-hexahydro-1 <i>H</i> -[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(3-chloro-2,4-difluorophenyl)-7-{[(3 <i>S</i> ,9 <i>aS</i>)-hexahydro-1 <i>H</i> -[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(3,4-dichlorophenyl)-7-[(hexahydro-1 <i>H</i> -[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy]-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(4,5-dichloro-2-fluorophenyl)-7-{[(3 <i>S</i> ,9 <i>aS</i>)-hexahydro-1 <i>H</i> -[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(4-bromo-2,3-dichlorophenyl)-7-{[(3 <i>S</i> ,9 <i>aS</i>)-hexahydro-1 <i>H</i> -[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(4-bromo-5-chloro-2-fluorophenyl)-7-{[(3 <i>S</i> ,9 <i>aS</i>)-hexahydro-1 <i>H</i> -[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(3,4-dichloro-2-fluorophenyl)-7-{[(3 <i>R</i> ,9 <i>aS</i>)-hexahydro-1 <i>H</i> -[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(4-bromo-3-chloro-2-fluorophenyl)-7-{[(3 <i>R</i> ,9 <i>aS</i>)-hexahydro-1 <i>H</i> -[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(3,4-dichlorophenyl)-7-{[(3 <i>R</i> ,8 <i>aR</i>)-hexahydro-1 <i>H</i> -pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(4-bromo-5-chloro-2-fluorophenyl)-7-{[(3 <i>S</i> ,8 <i>aS</i>)-hexahydro-1 <i>H</i> -pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(3,4-dichlorophenyl)-7-{[(3 <i>S</i> ,8 <i>aR</i>)-hexahydro-1 <i>H</i> -pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(3,4-dichlorophenyl)-7-{[(3 <i>S</i> ,8 <i>aS</i>)-hexahydro-1 <i>H</i> -pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(3,4-dichlorophenyl)-7-{[(3 <i>R</i> ,8 <i>aS</i>)-hexahydro-1 <i>H</i> -pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(3,4-dichloro-2-fluorophenyl)-7-{[(3 <i>S</i> ,8 <i>aS</i>)-hexahydro-1 <i>H</i> -pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(4-bromo-3-chloro-2-fluorophenyl)-7-{[(3 <i>S</i> ,8 <i>aS</i>)-hexahydro-1 <i>H</i> -pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(3-chloro-2,4-difluorophenyl)-7-{[(3 <i>S</i> ,8 <i>aS</i>)-hexahydro-1 <i>H</i> -pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(4-bromo-2,3-dichlorophenyl)-7-{[(3 <i>S</i> ,8 <i>aS</i>)-hexahydro-1 <i>H</i> -pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(4,5-dichloro-2-fluorophenyl)-7-{[(3 <i>S</i> ,8 <i>aS</i>)-hexahydro-1 <i>H</i> -pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
1,4:3,6-dianhydro-5-({[4-[(4-bromo-5-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy)methyl}-5-deoxy-2-O-methyl-D-xylo-hexitol
1,4:3,6-dianhydro-5-deoxy-5-({[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy)methyl}-2-O-methyl-D-glucitol
1,4:3,6-dianhydro-5-deoxy-5-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy)methyl}-2-O-methyl-D-xylo-hexitol
1,4:3,6-dianhydro-5-({[4-[(4-bromo-3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy)methyl}-5-deoxy-2-O-methyl-D-xylo-hexitol

1,4:3,6-dianhydro-5-({[4-[(3-chloro-2,4-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-5-deoxy-2-O-methyl-D-xylo-hexitol
1,4:3,6-dianhydro-5-({[4-[(4-bromo-2,3-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-5-deoxy-2-O-methyl-D-glucitol
1,4:3,6-dianhydro-2-deoxy-2-({[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-5-O-methyl-D-threo-hexitol
1,4:3,6-dianhydro-5-deoxy-5-({[4-[(4,5-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-2-O-methyl-D-glucitol
(3S,9aS)-3-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)hexahydro-2H-pyrido[1,2-a]pyrazin-1(6H)-one
(3S,9aR)-3-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)hexahydro-2H-pyrido[1,2-a]pyrazin-1(6H)-one
(3S,8aS)-3-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)hexahydropyrrolo[1,2-a]pyrazin-1(2H)-one
(3S,8aR)-3-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)hexahydropyrrolo[1,2-a]pyrazin-1(2H)-one
(3S,8aS)-3-({[4-[(4-bromo-3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)hexahydropyrrolo[1,2-a]pyrazin-1(2H)-one
(3S,8aS)-3-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-2-methylhexahydropyrrolo[1,2-a]pyrazin-1(2H)-one
N-(3,4-dichlorophenyl)-7-({2-[(8-methyl-8-azabicyclo[3.2.1]oct-3-yl)amino]ethyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[(8aR)-tetrahydro-1H-[1,3]thiazolo[4,3-c][1,4]oxazin-6-ylmethyl]oxy}quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-({2-(8-methyl-8-azabicyclo[3.2.1]oct-3-yl)ethyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-({(8-methyl-8-azabicyclo[3.2.1]oct-3-yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-({(3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-[(8-methyl-8-azabicyclo[3.2.1]oct-3-yl)oxy]-6-(methyloxy)quinazolin-4-amine
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-5-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-iditol
1,4:3,6-dianhydro-2-O-[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-iditol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-iditol
1,4:3,6-dianhydro-2-O-methyl-5-O-{6-(methyloxy)-4-[(2,3,4-trichlorophenyl)amino]quinazolin-7-yl}-L-iditol
1,4:3,6-dianhydro-5-O-[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-O-methyl-D-xylo-hexitol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-2,3-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-iditol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-L-sorbose ethylene glycol acetal
1,4:3,6-dianhydro-2-O-[4-[(3-chloro-2,4-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-iditol

1,4:3,6-dianhydro-2-O-[4-[(4,5-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-(difluoromethyl)-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-ethyl-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(3-bromo-2-methylphenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(3-chloro-2-methylphenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-deoxy-D-xylo-hexitol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-D-glucitol
methyl 3,6-anhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-O-methyl- α -L-idofuranoside
3,6-anhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-1,2-O-(1-methylethylidene)- β -L-xylo-hexofuranose
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-deoxy-5-methylidene-D-xylo-hexitol
methyl 3,6-anhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-O-methyl- β -L-idofuranoside
<i>N</i> -(3,4-dichloro-2-fluorophenyl)-6-(methyloxy)-7-[(octahydro-2 <i>H</i> -quinolizin-3-yl)methyl]oxy]quinazolin-4-amine
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-{6-(methyloxy)-4-[(2,3,4-trifluorophenyl)amino]quinazolin-7-yl}-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(2-chloro-4-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(2-bromo-4-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,6-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4-{[4-fluoro-3-(trifluoromethyl)phenyl]amino}-6-(methyloxy)quinazolin-7-yl]-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,4-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,5-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,3-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-idoitol

1,4:3,6-dianhydro-5-O-[4-[(5-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,5-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(3-chloro-4-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-2-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-5-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-{6-(methyloxy)-4-[(2,4,5-trifluorophenyl)amino]quinazolin-7-yl}-D-idoitol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-{6-(methyloxy)-4-[(2,4,6-trifluorophenyl)amino]quinazolin-7-yl}-D-idoitol
1,4:3,6-dianhydro-5-O-[4-({4-[(4-chlorophenyl)oxy]-3,5-difluorophenyl}amino)-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-2,3-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chloro-5-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(4,5-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-{6-(methyloxy)-4-[(2,3,4-trichlorophenyl)amino]quinazolin-7-yl}-D-idoitol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-{6-(methyloxy)-4-[(3,4,5-trichlorophenyl)amino]quinazolin-7-yl}-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(4-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(3-chloro-2-methylphenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,4-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(2-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4-[(2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4-[(4-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(4-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol

1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,5-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol
1,4:3,6-dianhydro-5-O-[4-[(2-bromo-4,6-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
1,4:3,6-dianhydro-5-O-[4-{[4-chloro-3-(trifluoromethyl)phenyl]amino}-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
1,4:3,6-dianhydro-5-O-[4-{[2-chloro-5-(trifluoromethyl)phenyl]amino}-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4-{[2-fluoro-3-(trifluoromethyl)phenyl]amino}-6-(methyloxy)quinazolin-7-yl]-D-iditol
1,4:3,6-dianhydro-5-O-[4-{[2-bromo-5-(trifluoromethyl)phenyl]amino}-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
1,4:3,6-dianhydro-5-O-[4-{[2-bromo-4-(trifluoromethyl)phenyl]amino}-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4-{[4-fluoro-2-(trifluoromethyl)phenyl]amino}-6-(methyloxy)quinazolin-7-yl]-D-iditol
1,4:3,6-dianhydro-5-O-[4-{[3-bromo-5-(trifluoromethyl)phenyl]amino}-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
1,4:3,6-dianhydro-5-O-[4-[(2-bromophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
1,4:3,6-dianhydro-5-O-[4-[(3-bromophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
1,4:3,6-dianhydro-5-O-[4-[(4-bromophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
1,4:3,6-dianhydro-5-O-[4-[(3-bromo-4-methylphenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
1,4:3,6-dianhydro-5-O-[4-[(5-chloro-2-methylphenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,5-dimethylphenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol
1,4:3,6-dianhydro-5-O-[4-{[2,5-bis(methyloxy)phenyl]amino}-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
1,4:3,6-dianhydro-5-O-[4-{[5-chloro-2,4-bis(methyloxy)phenyl]amino}-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
1,4:3,6-dianhydro-5-O-[4-{[4-chloro-2,5-bis(methyloxy)phenyl]amino}-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
1,4:3,6-dianhydro-5-O-[4-[(3-chloro-2,4-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol
<i>N</i> -(4-bromo-3-chlorophenyl)-7-{[(3a'S,4R,6'S,6a'R)-2,2-dimethyltetrahydrospiro[1,3-dioxolane-4,3'-furo[3,2-b]furan]-6'-yl]oxy}-6-(methyloxy)quinazolin-4-amine
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-5-C-[(methyloxy)methyl]-L-glucitol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-(methylsulfonyl)-L-glucitol

1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-L-glucitol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-S-methyl-5-thio-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-morpholin-4-yl-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-(4-methylpiperazin-1-yl)-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-pyrrolidin-1-yl-D-itol
2-O-acetyl-1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-D-itol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-(methylsulfonyl)-D-itol
2-amino-1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-(dimethylamino)-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-(diethylamino)-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-piperidin-1-yl-D-itol
2-(acetyl-amino)-1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-D-itol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-5-C-(trifluoromethyl)-L-glucitol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-[(methylsulfonyl)amino]-D-itol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-(6-(methyloxy)-4-[[4-(4-methylpiperazin-1-yl)phenyl]amino]quinazolin-7-yl)-D-itol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4-[[3-fluoro-4-(4-methylpiperazin-1-yl)phenyl]amino]-6-(methyloxy)quinazolin-7-yl]-D-itol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[[2,3-dichloro-4-(4-methylpiperazin-1-yl)phenyl]amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-itol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[[3,4-dichloro-2-(4-methylpiperazin-1-yl)phenyl]amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-itol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-C-(trifluoromethyl)-D-glucitol
(3,4-dichlorophenyl)[6-(methyloxy)-7-({[4-(tetrahydrofuran-2-yl)methyl]-1,4-oxazepan-2-yl]methyl}oxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-({[(3aR,6aS)-2-(1-methylethyl)octahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-7-({[(3aR,6aS)-2-(1-methylethyl)octahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine

7-({[(3aR,6aS)-2-acetyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-N-(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)-7-({[(3aR,6aS)-octahydrocyclopenta[c]pyrrol-5-ylmethyl]oxy}quinazolin-4-amine
ethyl (3aR,5r,6aS)-5-[(4-[(4-bromo-3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl}oxy)methyl]hexahydrocyclopenta[c]pyrrole-2(1H)-carboxylate
N-(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)-7-({[(3aR,6aS)-2-(methylsulfonyl)octahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-({[(3aR,6aS)-2-ethyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-6-(methyloxy)-7-({[(3aR,6aS)-2-(2-methylpropyl)octahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-({[(3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-({[(3aR,5r,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-7-({[(3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-7-({[(3aR,5r,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(3-chloro-2,4-difluorophenyl)-7-({[(3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(3-chloro-2,4-difluorophenyl)-7-({[(3aR,5r,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4,5-dichloro-2-fluorophenyl)-7-({[(3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4,5-dichloro-2-fluorophenyl)-7-({[(3aR,5r,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-5-chloro-2-fluorophenyl)-7-({[(3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-5-chloro-2-fluorophenyl)-7-({[(3aR,5r,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-2,3-dichlorophenyl)-7-({[(3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-2,3-dichlorophenyl)-7-({[(3aR,5r,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-({[(3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-({[(3aR,5r,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine

<i>N</i> -(4-bromo-3-chloro-2-fluorophenyl)-7-({[(3 <i>aR</i> ,6 <i>aS</i>)-2-ethyloctahydrocyclopenta[<i>c</i>]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)-7-({[(3 <i>aR</i> ,6 <i>aS</i>)-2-(2-methylpropyl)octahydrocyclopenta[<i>c</i>]pyrrol-5-yl]methyl}oxy)quinazolin-4-amine
<i>N</i> -(3,4-dichlorophenyl)-7-({[(3- <i>endo</i>)-8-methyl-8-azabicyclo[3.2.1]oct-3-yl]amino}ethyl)oxy]-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(3,4-dichlorophenyl)-7-({2-[(3- <i>endo</i>)-8-methyl-8-azabicyclo[3.2.1]oct-3-yl]ethyl}oxy)-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(3,4-dichlorophenyl)-7-({[(3- <i>endo</i>)-8-methyl-8-azabicyclo[3.2.1]oct-3-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(3,4-dichlorophenyl)-7-({[(3- <i>exo</i>)-8-methyl-8-azabicyclo[3.2.1]oct-3-yl]oxy}-6-(methyloxy)quinazolin-4-amine
1,1-dimethylethyl (3 <i>aR</i> ,6 <i>aS</i>)-5-({[4-[(4-bromo-3-chloro-2-fluorophenyl)amino]-6-(methyl-oxy)quinazolin-7-yl]oxy}methyl)hexahydrocyclopenta[<i>c</i>]pyrrole-2(1 <i>H</i>)-carboxylate
1,1-dimethylethyl (3 <i>aR</i> ,6 <i>aS</i>)-5-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl) hexahydrocyclopenta- <i>c</i>]pyrrole-2(1 <i>H</i>)-carboxylate
<i>N</i> -(3,4-dichloro-2-fluorophenyl)-6-(methyloxy)-7-({[(3 <i>aR</i> ,5 <i>r</i> ,6 <i>aS</i>)-octahydrocyclopenta[<i>c</i>]pyrrol-5-yl]methyl}oxy}quinazolin-4-amine
7-({[(3- <i>endo</i>)-8-azabicyclo[3.2.1]oct-3-ylmethyl]oxy}- <i>N</i> -(3,4-dichlorophenyl)-6-(methyloxy)quinazolin-4-amine
1,1-dimethylethyl (3- <i>endo</i>)-3-(2-({[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}ethyl)-8-azabicyclo[3.2.1]octane-8-carboxylate and
7-({2-[(3- <i>endo</i>)-8-azabicyclo[3.2.1]oct-3-yl]ethyl}oxy)- <i>N</i> -(3,4-dichlorophenyl)-6-(methyloxy)quinazolin-4-amine
1,4:3,6-Dianhydro-5- <i>O</i> -[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2- <i>O</i> -methyl- <i>D</i> -glucitol
3,6-Anhydro-5- <i>O</i> -[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-1,2- <i>O</i> -(1-methylethylidene)-□- <i>D</i> -idofuranose
1,4:3,6-dianhydro-5- <i>O</i> -[4-[(3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- <i>L</i> -iditol
1,4:3,6-dianhydro-2- <i>O</i> -[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5- <i>O</i> -(methylsulfonyl)- <i>D</i> -glucitol
1,4:3,6-dianhydro-2- <i>O</i> -[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]- <i>D</i> -glucitol
1,4:3,6-dianhydro-2- <i>O</i> -[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5- <i>S</i> -methyl-5-thio- <i>L</i> -iditol
1,4:3,6-dianhydro-5- <i>O</i> -[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-morpholin-4-yl- <i>L</i> -iditol
1,4:3,6-dianhydro-5- <i>O</i> -[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-(4-methylpiperazin-1-yl)- <i>L</i> -iditol
1,4:3,6-dianhydro-5- <i>O</i> -[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-pyrrolidin-1-yl- <i>L</i> -iditol
2- <i>O</i> -acetyl-1,4:3,6-dianhydro-5- <i>O</i> -[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]- <i>L</i> -iditol

1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-L-iditol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-(methylsulfonyl)-L-iditol
2-amino-1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-L-iditol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-(dimethylamino)-L-iditol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-(diethylamino)-L-iditol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-piperidin-1-yl-L-iditol
2-(acetylamino)-1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-L-iditol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-5-C-(trifluoromethyl)-D-glucitol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-[(methylsulfonyl)amino]-L-iditol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-(6-(methyloxy)-4-[[4-(4-methylpiperazin-1-yl)phenyl]amino]quinazolin-7-yl)-L-iditol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4-[[3-fluoro-4-(4-methylpiperazin-1-yl)phenyl]amino]-6-(methyloxy)quinazolin-7-yl]-L-iditol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[[2,3-dichloro-4-(4-methylpiperazin-1-yl)phenyl]amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-L-iditol and
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[[3,4-dichloro-2-(4-methylpiperazin-1-yl)phenyl]amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-L-iditol and
a single geometric isomer, stereoisomer, racemate, enantiomer, or diastereomer, thereof and optionally as a pharmaceutically acceptable salt, solvate, or hydrate thereof.

12. The method of Claim 3 where one of the chemotherapeutic agent(s) is selected from *N*-(3,4-dichloro-2-fluorophenyl)-7-([[(3*aR*,5*r*,6*aS*)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine; *N*-(4-bromo-3-chloro-2-fluorophenyl)-7-([[(3*aR*,5*r*,6*aS*)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine; *N*-(3,4-dichloro-2-fluorophenyl)-7-([[(3*aR*,5*s*,6*aS*)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine; *N*-(4-bromo-3-chloro-2-fluorophenyl)-7-([[(3*aR*,5*s*,6*aS*)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine; and optionally as a pharmaceutically acceptable salt, solvate, or hydrate thereof.

13. The method of Claim 3 where one of the chemotherapeutic agent(s) is *N*-(3,4-dichloro-2-fluorophenyl)-7-([[(3*aR*,5*r*,6*aS*)-2-methyloctahydrocyclopenta[c]pyrrol-5-

yl)methyl}oxy)-6-(methyloxy)quinazolin-4-amine or optionally as a pharmaceutically acceptable salt, solvate, or hydrate thereof.

14. The method of Claim 3 where one of the chemotherapeutic agent(s) is selected from

(3Z)-3-[[5-(methyloxy)-1 <i>H</i> -benzimidazol-2-yl](phenyl)methylidene]-5-[[1-(phenylmethyl)pyrrolidin-3-yl]amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-3-yl)amino]-3-[[5-(methyloxy)-1 <i>H</i> -benzimidazol-2-yl](phenyl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[5-(methyloxy)-1 <i>H</i> -benzimidazol-2-yl](phenyl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[1 <i>H</i> -imidazol-2-yl(phenyl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[5-(methyloxy)-1 <i>H</i> -benzimidazol-2-yl][4-(methyloxy)phenyl]methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[5-(methyloxy)-1 <i>H</i> -benzimidazol-2-yl](4-methylphenyl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[1 <i>H</i> -benzimidazol-2-yl(4-nitrophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-{1 <i>H</i> -benzimidazol-2-yl[4-(methyloxy)phenyl]methylidene}-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[1 <i>H</i> -benzimidazol-2-yl(phenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[[5-(methyloxy)-1 <i>H</i> -benzimidazol-2-yl](phenyl)methylidene]-5-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(4-aminophenyl)(1 <i>H</i> -benzimidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[1 <i>H</i> -benzimidazol-2-yl(4-methylphenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[1 <i>H</i> -imidazol-2-yl(4-methylphenyl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)oxy]-3-[[5-(methyloxy)-1 <i>H</i> -benzimidazol-2-yl](phenyl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-{1 <i>H</i> -imidazol-2-yl[4-(methyloxy)phenyl]methylidene}-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[1 <i>H</i> -benzimidazol-2-yl(4-fluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[1 <i>H</i> -benzimidazol-2-yl(3,5-difluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[1 <i>H</i> -benzimidazol-2-yl(3-fluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[1 <i>H</i> -benzimidazol-2-yl(3-nitrophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
3-((Z)-1 <i>H</i> -benzimidazol-2-yl{5-[(1-ethylpiperidin-4-yl)amino]-2-oxo-1,2-dihydro-3 <i>H</i> -indol-3-ylidene}methyl)benzonitrile
(3Z)-3-[(3-aminophenyl)(1 <i>H</i> -benzimidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[1 <i>H</i> -benzimidazol-2-yl(phenyl)methylidene]-5-(piperidin-4-ylamino)-1,3-

dihydro-2 <i>H</i> -indol-2-one
3-((<i>Z</i>)-1 <i>H</i> -benzimidazol-2-yl{5-[(1-ethylpiperidin-4-yl)amino]-2-oxo-1,2-dihydro-3 <i>H</i> -indol-3-ylidene)methyl}benzenecarboximidamide
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(phenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(phenyl)methylidene]-5-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-{1 <i>H</i> -benzimidazol-2-yl[3-(methyloxy)phenyl]methylidene}-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
2-(2-{2-[(<i>Z</i>)-{5-[(1-ethylpiperidin-4-yl)amino]-2-oxo-1,2-dihydro-3 <i>H</i> -indol-3-ylidene}(phenyl)methyl]-1 <i>H</i> -imidazol-4-yl}ethyl)-1 <i>H</i> -isoindole-1,3(2 <i>H</i>)-dione
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(phenyl)methylidene]-5-({1-[2-(dimethylamino)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(phenyl)methylidene]-5-{[1-(methylsulfonyl)piperidin-4-yl]amino}-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-5-(8-azabicyclo[3.2.1]oct-3-ylamino)-3-[1 <i>H</i> -benzimidazol-2-yl(phenyl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-{1 <i>H</i> -benzimidazol-2-yl[3-(methyloxy)phenyl]methylidene}-5-[(1-ethylpiperidin-4-yl)oxy]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(3,5-difluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)oxy]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(phenyl)methylidene]-5-{{1-(phenylmethyl)piperidin-4-yl}oxy}-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)oxy]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(3,5-difluorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}oxy)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}oxy)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-{1 <i>H</i> -benzimidazol-2-yl[3-(methyloxy)phenyl]methylidene}-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[(3-chlorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[(3-fluorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(3,5-difluorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)(methyl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[(3-chlorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)oxy]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(4-chlorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3 <i>Z</i>)-3-[1 <i>H</i> -benzimidazol-2-yl(3-fluorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one

(3Z)-3-[1 <i>H</i> -benzimidazol-2-yl(4-fluorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3-chlorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[1 <i>H</i> -benzimidazol-2-yl(3-fluoro-4-methylphenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluorophenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[1 <i>H</i> -benzimidazol-2-yl(4-fluoro-3-methylphenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3-chloro-4-fluorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3,4-difluorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(5-chloro-1 <i>H</i> -benzimidazol-2-yl)(phenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(5-chloro-1 <i>H</i> -benzimidazol-2-yl)(3,5-difluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluoro-4-methylphenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(4-fluorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[1 <i>H</i> -imidazol-2-yl(4-propylphenyl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-{1 <i>H</i> -imidazol-2-yl[4-(trifluoromethyl)phenyl]methylidene}-1,3-dihydro-2 <i>H</i> -indol-2-one
(3E)-3-[(3,5-difluorophenyl)(5-fluoro-1 <i>H</i> -benzimidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3,5-difluorophenyl)(5-fluoro-1 <i>H</i> -benzimidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3-fluoro-4-methylphenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(4-methyl-1 <i>H</i> -imidazol-2-yl)(4-methylphenyl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluoro-4-(trifluoromethyl)phenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(4-chlorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluoro-4-methylphenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-{1 <i>H</i> -imidazol-2-yl[6-(trifluoromethyl)pyridin-3-yl]methylidene}-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[1 <i>H</i> -imidazol-2-yl(4-methylphenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3-fluorophenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[1 <i>H</i> -imidazol-2-yl[4-(trifluoromethyl)phenyl]methylidene]-5-({1-[2-

(methyloxy)ethyl]piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(5-chloro-1H-benzimidazol-2-yl)(phenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3,5-difluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3,5-difluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3,5-difluorophenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3,5-difluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(4-methyl-1H-imidazol-2-yl)(4-methylphenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(4-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3,4-difluorophenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-chloro-4-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-(piperidin-4-ylamino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-{{1-(2-piperidin-1-ylethyl)piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-{{1-(2-morpholin-4-ylethyl)piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-5-({1-[2-(diethylamino)ethyl]piperidin-4-yl} amino)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-{{1-(2-pyrrolidin-1-ylethyl)piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-imidazol-2-yl(4-methylphenyl)methylidene]-5-[(1-methylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-fluorophenyl)(1H-1,2,4-triazol-5-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
ethyl 2-[(Z)-(3-fluorophenyl)[5-({1-[2-(methyloxy)ethyl]piperidin-4-yl} amino)-2-oxo-1,2-dihydro-3H-indol-3-ylidene]methyl]-4-methyl-1H-imidazole-5-carboxylate
(3Z)-3-[1H-imidazol-2-yl(phenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-{{1H-imidazol-2-yl[4-(methyloxy)phenyl]methylidene}-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(4-chlorophenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[[3-fluoro-4-(trifluoromethyl)phenyl](1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-{{1-(methylsulfonyl)piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-imidazol-2-yl(4-propylphenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl} amino)-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluorophenyl)(4-phenyl-1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one

(3Z)-3-[(3-fluorophenyl)(4-phenyl-1 <i>H</i> -imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3-fluoro-4-methylphenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-{1 <i>H</i> -imidazol-2-yl}[6-(trifluoromethyl)pyridin-3-yl]methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluorophenyl)(1 <i>H</i> -1,2,4-triazol-5-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[2-fluoro-4-(trifluoromethyl)phenyl](1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(4-methyl-1 <i>H</i> -imidazol-2-yl)(4-(trifluoromethyl)phenyl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(4-chlorophenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[3-fluoro-4-(trifluoromethyl)phenyl](4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3,4-difluorophenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3-chloro-4-fluorophenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(4-fluorophenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(2-fluorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[2-fluoro-4-(trifluoromethyl)phenyl](4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(2,3-difluorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(2,3-difluorophenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(2,4-difluorophenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(2,4-difluorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(2-fluorophenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3-trifluoromethylphenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3-trifluoromethylphenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(2,4-dichloro-5-fluorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(2,4-dichloro-5-fluorophenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(4-chloro-2-fluorophenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one and
a single geometric isomer, stereoisomer, racemate, enantiomer, or diastereomer, thereof and optionally as a pharmaceutically acceptable salt or hydrate thereof.

15. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is an ErbB2 inhibitor.
16. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is an HSP90 inhibitor.
17. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is selected from 17-AAG, 17-DMAG, Geldanamycin, 5-(2,4-dihydroxy-5-isopropylphenyl)-*N*-ethyl-4-(4-(morpholinomethyl)phenyl)isoxazole-3-carboxamide, and 6-chloro-9-((4-methoxy-3,5-dimethylpyridin-2-yl)methyl)-9*H*-purin-2-amine.
18. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is an IGF1R inhibitor.
19. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is a VEGFR inhibitor.
20. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is a Raf inhibitor.
21. The method of Claim 3 where one of the chemotherapeutic agent(s) is sorafenib.
22. The method of Claim 3 where one of the chemotherapeutic agent(s) is selected from

6-(2-butyl-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[1-hydroxy-3-oxo-2-(2-phenylethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-(1-hydroxy-2-{{4-(methyloxy)phenyl}methyl}-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-(1-hydroxy-2-{{3-(methyloxy)phenyl}methyl}-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{2-[(4-fluorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-(1-hydroxy-3-oxo-2-phenyl-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{2-[(3-bromophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{2-[(4-bromophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[1-hydroxy-3-oxo-2-(3-phenylpropyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{2-[(3,4-dichlorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one

6-{1-hydroxy-2-[(4-methylphenyl)methyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{2-[(4-chlorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[1-hydroxy-2-(1-methylethyl)-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
methyl {5-[1-hydroxy-3-oxo-2-(phenylmethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-1 <i>H</i> -benzimidazol-2-yl} carbamate
6-{2-[(3,4-dimethylphenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-(2-{[4-chloro-3-(trifluoromethyl)phenyl]methyl}-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-(2-{[4-(dimethylamino)phenyl]methyl}-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[2-(3-chlorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[2-(4-chlorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[2-(3,4-dichlorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[1-hydroxy-2-(4-methylphenyl)-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
3-(2-{[3,5-bis(methyloxy)phenyl]amino}-1 <i>H</i> -benzimidazol-5-yl)-3-(methyloxy)-2-(phenylmethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-one
3-(2-{[3,5-bis(methyloxy)phenyl]amino}-1 <i>H</i> -benzimidazol-5-yl)-2-(1-methylethyl)-3-(methyloxy)-2,3-dihydro-1 <i>H</i> -isoindol-1-one
3-(2-{[3,5-bis(methyloxy)phenyl]amino}-1 <i>H</i> -benzimidazol-5-yl)-3-hydroxy-2-phenyl-2,3-dihydro-1 <i>H</i> -isoindol-1-one
3-(2-{[3,5-bis(methyloxy)phenyl]amino}-1 <i>H</i> -benzimidazol-5-yl)-3-hydroxy-2-(phenylmethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-one
methyl {5-[1-hydroxy-3-oxo-2-(phenylmethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-1-methyl-1 <i>H</i> -benzimidazol-2-yl} carbamate
3-(1 <i>H</i> -benzimidazol-5-yl)-3-hydroxy-2-(phenylmethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-one
5-[1-hydroxy-3-oxo-2-(phenylmethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]- <i>N</i> -methyl-1 <i>H</i> -benzimidazole-2-carboxamide
3-hydroxy-3-(2-methyl-1 <i>H</i> -benzimidazol-5-yl)-2-(phenylmethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-one
7-[1-hydroxy-3-oxo-2-(phenylmethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-3,4-dihydroquinoxalin-2(1 <i>H</i>)-one
7-[2-(3-chlorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-3,4-dihydroquinoxalin-2(1 <i>H</i>)-one
1,1-dimethylethyl 4-{[1-hydroxy-3-oxo-1-(3-oxo-3,4-dihydro-2 <i>H</i> -1,4-benzoxazin-6-yl)-1,3-dihydro-2 <i>H</i> -isoindol-2-yl]methyl}piperidine-1-carboxylate
6-(1-hydroxy-2-{[2-(methyloxy)phenyl]methyl}-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{2-[(3-chlorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one

6-{2-[(2-chlorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{2-[(3-fluorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{2-[(2-bromophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{2-[(2-fluorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[2-(3-fluorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[1-hydroxy-2-(3-iodophenyl)-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[2-(3-bromophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[1-hydroxy-2-(3-nitrophenyl)-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{1-hydroxy-2-[3-(methyloxy)phenyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[1-hydroxy-2-(3-methylphenyl)-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
3-hydroxy-3-(1 <i>H</i> -indol-5-yl)-2-(phenylmethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-one
methyl [6-(1-hydroxy-3-oxo-2-phenyl-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-1 <i>H</i> -benzimidazol-2-yl]carbamate
6-[2-(2-aminophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{[2-(3-phenyl-1,2,4-oxadiazol-5-yl)phenyl]carbonyl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{[2-(1 <i>H</i> -benzimidazol-2-yl)phenyl]carbonyl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-(1-hydroxy-3-oxo-2-{[2-(trifluoromethyl)phenyl]methyl}-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{2-[(5-bromo-2-fluorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{1-hydroxy-2-[(3-nitrophenyl)methyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-(1-hydroxy-3-oxo-2-{[3-(trifluoromethyl)phenyl]methyl}-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-(2-{[2,3-bis(methyloxy)phenyl]methyl}-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{1-hydroxy-2-[(3-iodophenyl)methyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[1-hydroxy-3-oxo-2-{[3-[(trifluoromethyl)oxy]phenyl]methyl}-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-(1-hydroxy-2-{[2-(methylthio)phenyl]methyl}-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[2-(3,4-difluorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{1-hydroxy-2-[3-(1-methylethyl)phenyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one

6-(1-hydroxy-3-oxo-2-{3-[(trifluoromethyl)oxy]phenyl}-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{1-hydroxy-3-oxo-2-[3-(trifluoromethyl)phenyl]-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
3-[1-hydroxy-3-oxo-1-(3-oxo-3,4-dihydro-2 <i>H</i> -1,4-benzoxazin-6-yl)-1,3-dihydro-2 <i>H</i> -isoindol-2-yl]benzenesulfonamide
6-{2-[5-chloro-2-(methyloxy)phenyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{2-[4-fluoro-3-(trifluoromethyl)phenyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
3-hydroxy-3-(1 <i>H</i> -indol-6-yl)-2-(phenylmethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-one
6-[2-(3-fluoro-5-iodophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[2-(3-aminophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[2-(3,5-difluorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{1-hydroxy-2-[3-(methylsulfonyl)phenyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
ethyl 3-[1-hydroxy-3-oxo-1-(3-oxo-3,4-dihydro-2 <i>H</i> -1,4-benzoxazin-6-yl)-1,3-dihydro-2 <i>H</i> -isoindol-2-yl]benzoate
3-[1-hydroxy-3-oxo-1-(3-oxo-3,4-dihydro-2 <i>H</i> -1,4-benzoxazin-6-yl)-1,3-dihydro-2 <i>H</i> -isoindol-2-yl]benzonitrile
6-[2-(2-chlorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[2-(3-amino-5-chlorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[2-(5-chloro-2-methylphenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[2-(3-chloro-2-methylphenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[2-(3-ethylphenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[2-(3-ethynylphenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[1-hydroxy-2-(3-hydroxyphenyl)-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-{1-hydroxy-3-oxo-2-[3-(phenyloxy)phenyl]-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-(1-hydroxy-3-oxo-2-{3-[(phenylmethyl)oxy]phenyl}-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
3-[1-hydroxy-3-oxo-1-(3-oxo-3,4-dihydro-2 <i>H</i> -1,4-benzoxazin-6-yl)-1,3-dihydro-2 <i>H</i> -isoindol-2-yl]benzamide
6-{1-hydroxy-2-[3-(hydroxymethyl)phenyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
6-[2-(2-fluorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i>)-one
3-hydroxy-3-[2-(methylamino)-1 <i>H</i> -benzimidazol-5-yl]-2-(phenylmethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-one